

V. 1.0 / 09-2026

2K27

SUPERIOR MAGNESIUM
ALLOY AND CARBON
TECHNOLOGY

SUSPENSION FORKS
REAR SHOCKS
SEATPOSTS

SR SUNTOUR 

UNLOCK YOUR ADVENTURE

CONTENT

2K27 HIGHLIGHTS / TECHNOLOGY & FEATURES

TECHNOLOGY & FEATURES

SOBA – SEMIOPEN OIL BATH	04
TOTAL ALIGNMENT PROCESS	05
5TA – CHANGING THE STATUS QUO	07
RC+ RIDE BOLD	08
QSP QUICK SERVICE PRODUCTS	09

SUSPENSION FORKS

RUX38	10
DUROLUX38	12
AURON36	14
AION36X	18
MOBIE36	22


AXON34 WERX	26
GVX32	28
NRX32 IL	30
NCX32 SP	32
MOBIE35 CGO	34
MOBIE34 CGO	36
RAIDON34	39
RAIDON32	40
RAIDON32JR	41

REAR SHOCKS

TRIAIR2	16
EDGE EVO	20
EDGE X	24

SEATPOST

NCX	42
-----------	----



UNLOCK YOUR ADVENTURE

SR SUNTOUR makes products for your ride, no matter where you go or what bike you ride. Whether you define adventure as racing as fast as possible up and down mountains, exploring new gravel roads, or taking the scenic route into work, we have you covered. Our products allow you the freedom to embrace any adventure regardless of what the terrain might throw at you and are optimized to keep you safe and comfortable and to make it more enjoyable. Versatility is at the forefront of our product line, so no matter if you plan every single turn of a particular route or you're more into figuring out where that path might lead, you're in good hands with SR SUNTOUR. Our vast product line with almost 40 years of experience ensures your bike will be up for any excursion. So get out there and Unlock Your Adventure.

TASTE OUR NEW SOBA SEMIOPEN OIL BATH



Extra juicy for the ultimate suspension experience. SOBA is based on high performance lubrication oil that works with our PCS dampers featured in RC+ versions of RUX, DUROLUX, AURON and starting with model year 2026 in AION series forks providing extra lubrication to keep your fork running smoothly, run after run. SOBA ensures that you'll get the right amount of oil to keep moistening the bushings and seals and can be easily refreshed with our lubrication bleed ports.



SOBA
TECHNOLOGY




LEARN
MORE!



THE ERA OF HIGH PRECISION

TOTAL ALIGNMENT PROCESS



Reduced friction, more sensitivity, longer service life, and altogether a more refined suspension experience on the trail, is what our newly installed Total Alignment Process stands for. Precision is everything, even the smallest change in the trail surface demands an immediate response from your suspension. The way your fork reacts to the terrain affects your control, comfort, and confidence so we engineered our new process for a better suspension experience. By refining our tooling, machining and assembly processes this directly translates into an improvement out on the trail offering better performance, less wear and tear, and a fork that keeps up with you on every ride.

UPPER ALIGNMENT

Upper Alignment, let's start from the top. Our new upper leg process uses an automated one-step assembly with high-precision tooling to keep everything even more precisely aligned.



You'll notice smoother fork travel, better response to small bumps, and a more predictable feel on bigger hits as the fork progresses through its travel.

LOWER ALIGNMENT

Lower Alignment, it's what's inside that counts. Bushings and dropout alignment both play a huge role in how your fork performs. Our refined Lower leg process ensures that bushing seats are machined with absolute precision. Dropout alignment can be just as critical. Even the smallest misalignment can introduce significant, unwanted twisting forces on the lowers, increasing friction and wear on both the bushings and stanchions. By using single-chuck machining for the bushing seats and axle dropouts, we maintain optimal alignment of the lowers, eliminating excess torsional forces and ensuring long-term fork performance and reliability.

STRONGER, EASIER AND MORE SECURE

5TA - CHANGING THE STATUS QUO



At SR SUNTOUR we are continuously looking to make the cycling experience easier, safer and more enjoyable. As the bicycle industry never stands still, new and innovative bikes come to market and consumers change the way they use bicycles. Safety and security is a key principle that SR SUNTOUR is fully dedicated to. We are continually questioning the status quo and have developed a new industry leading thru axle solution that combines a balanced price/value ratio with enhanced security. We call it 5TA. 5TA combines the advantages of a thru-axle solution with the ease of a traditional open dropout QR system. Instead of an open dropout we are now introducing a closed dropout that is combined with

a 5 mm QR style axle that requires no specific hub. For MY-26 we will introduce this new solution to a few key selected models.

KEY FACTS

- Enhanced Security whilst cost effective
- Easier to operate with less potential for wrong/ bad assembly
- Increased torsional stiffness
- Works with conventional 9mm QR hubs (non-boost only)
- QR and Tool Type solution available (axle supplied by hub maker)



RC+ RIDE BOLD

**EXTRA OIL FLOW FOR HIGH SPEEDS
AND HARD IMPACTS.**

Our new RC+ cartridge has extra oil flow for high speeds and hard impacts while still offering excellent performance for both small bumps and trail chatter. With a new semiopen oil bath & easy adjustment it means the best stability and suspension for you on the trail. RC+ is developed by our SR SUNTOUR engineers and top professional riders as part of our WERX program and available on our new DUROLUX38/X, DUROLUX36X and AURON36 forks. Learn more at srsuntour.com/rc+



QSP

QUICK SERVICE PRODUCTS

Refined simplicity is our guiding principle. »High performance made simple« is the foundation of every one of our developments. Our PCS cartridge system is fully synchronized with our approach to applying simplicity to our designs. It not only aims to be technologically sophisticated but also to be user-friendly and low-maintenance. Setup and maintenance are quick and easy and at a lower cost. All parts can be disassembled and the system can be bled and reassembled again without the use of special tools. We call them QSP - Quick Service Products. Offering quick service and state-of-the-art technology to our customers across all levels of riding is the philosophy behind QSP.

QSP IS APPLIED THROUGHOUT OUR PRODUCT LINE

Here are some examples:

- Easy travel changes in both suspension forks and rear shocks
- Integrated fenders
- Sealed, fully serviceable and tunable cartridges
- Minimal number of tools needed to service SR SUNTOUR products
- Faster and easier service than our competitors
- Lubrication/air burp valves on the AURON, RUX and DUROLUX for consistent runs
- Easy to install air volume spacers to customize your ride for your terrain





RIDER OSCAR HÄRSTRÖM LOCATION KISA BIKE PARK, SWEDEN PHOTO JOSH YOSHIDA



RUX

RUX38 PURE GRAVITY PRECISION

In a sport that's separated by fractions of a second the RUX is the tool of choice to perform at your highest level. With a pedigree that includes wins in some of the most prestigious events (World Cup DH, Red Bull Rampage, Crankworx, etc) the RUX is up for the challenge when you give it your all. Our new total alignment process ensures the most precise RUX ever, meaning less friction, better function and increased durability. With our proven Air EQ system and our PCS cartridges setup and maintenance is a breeze! Bleed ports on the back make adding oil and releasing air between runs as easy as possible. With our RC2 and our new RC+ Dampers, you can choose the perfect model for your riding style.

MODEL	RUX38 BOOST
INTENDED USE	DOWNHILL, FREERIDE
TRAVEL	200 mm
WHEEL SIZES	27.5", 29"
SPRING	AIR EQ
CARTRIDGE	RC+ PCS
BOTTOM CASE	MAGNESIUM
AXLE TYPE	20 mm TOOL TYPE/TOOL FREE
FENDER	DETACHABLE INTEGRATED SHORT FENDER

27.5"

29"

38 mm

BOOST

PCS

EQ
EQUALIZER

SOBA
TECHNOLOGY

DOWNHILL/FREERIDE

RUX38

// 21x27

SR SUNTOUR



DUROLUX





DUROLUX38 / X EXTRA FLOW = EXTRA GO

The DUROLUX38 series is the ultimate big-line, enduro fork meant to tame the steepest and rowdiest descents. The DUROLUX38 has all the things you've come to expect from the DUROLUX line like hard 38 mm A7000 stanchions, hollow forged crowns, SKF seals, QSP ports and an integrated fender but it now comes in extra juicy with our new extra-flow RC+ Cartridge and semi open oil bath. RC+ has easy rebound and compression adjustability tuned for amazing small bump compliance while still being highly efficient. With extra oil volume flow the RC+ PCS Cartridge can handle the biggest hits even easier with our quickest ever damper response time while keeping composure on the steepest terrain. External low speed compression and rebound adjustment, internal shim based high speed compression and rebound management means less knobs and more control. The RC+ Cartridge was developed by SR SUNTOUR engineers and top professional riders as part of our WERX program. The DUROLUX38 has an improved chassis design with a wider pitch for extra stability and a new 3D machined bushing alignment process for a supple and smooth ride right out of the box. Want even more? Check out the E-Bike version, the DUROLUX38 X , with all of the same features but with extra material and strength for the gnarliest of applications. DUROLUX38, Extra flow means extra go!

MODEL	DUROLUX38, X
INTENDED USE	ENDURO
TRAVEL	160, 170, 180 mm
WHEEL SIZE	29"
SPRING	AIR EQ
CARTRIDGE	RC + -PCS
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FEATURES	LONG FENDER MOUNT, DETACHABLE INTEGRATED SHORT FENDER, ABS MOUNT OPTION

DUROLUX



**DUROLUX38 X
SPECIAL
FEATURES**



**E-BIKE
READY**



ENDURO

DUROLUX38 / X

// 21027

SR SUNTOUR



FLUION

RIDER: SAM BLENKINSOP LOCATION: MOUNT HUTT NZ PHOTO: HOSHI YOSHIDA



AURON36 TAME ANY TRAIL

The AURON is back and it's bigger and badder than ever! The AURON36 is the ultimate all-mountain and trail bike fork, with all the traction and support you need for climbing combined with all the control and playfulness for fun and efficiency on the descent. With stiff 36mm stanchions, a hollow crown, an air EQ system and our all new RC+PCS Cartridge with semi open oil bath, you'll be ready for anything the trail can throw at you. Our RC+ cartridge has easy rebound and compression adjustability specifically tuned to give excellent small bump performance while also being highly efficient. Combine the RC+ cartridge with our new 3D machined bushing alignment process for a supple and smooth ride right out of the box. The AURON36 also has QSP ports you can keep the AURON36 running smoother and longer. The AURON36 was developed by SR SUNTOUR engineers and top professional riders as part of our WERX program. It's the perfect weapon for trail and All Mountain bikes with 140–160mm of travel. The AURON36 is ready to tame any trail, are you?

MODEL	AURON36
INTENDED USE	TRAIL, ALL MOUNTAIN
TRAVEL	140, 150, 160 mm
WHEEL SIZE	27.5", 29"
SPRING	AIR EQ
CARTRIDGE	RC+ -PCS
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FEATURES	LONG FENDER MOUNT, DETACHABLE INTEGRATED SHORT FENDER

AURON

27.5"

29"

36mm

BOOST

PCS

EQ
EQUALIZER

HOLLOW CROWN

SOBA
TECHNOLOGY

TRAIL / AM

AURON36

// 21/21

SR SUNTOUR



TRIAIR 2





TRIAIR2 GET AFTER IT!

Built for hard-charging riders, the TRIAIR2 is ready to take your riding to the next level. Rapidly changing terrain demands a shock that responds as instinctively as the rider. The TRIAIR2 rear shock is engineered to absorb the punishment of long, aggressive descents while delivering consistent damping. Featuring a reinforced damping system with a larger steel shaft for enhanced midstroke support and durability. The redesigned piggyback improves oil flow and increases frame clearance, making it compatible with a wider range of bikes. Precision tuning is easy thanks to the air-backed internal floating piston (IFP), giving riders full control over ramp-up and feel. Volume spacers can be quickly adjusted to fine-tune the spring curve for your trails and riding style. With 3CR damping, riders can switch between three compression modes and dial in rebound with eight clicks of adjustment, ensuring you can find the best setting to get the most out of your suspension. Designed with QSP (Quick Service Product) principles, the TRIAIR2 is built for reliability, easy maintenance, and long-term performance. It's the ideal companion for our DUROLUX, AURON, and AION forks—ready to tackle any terrain with confidence.

MODEL	TRIAIR2
INTENDED USE	ENDURO/TRAIL
FUNCTION	3CR, 2CR, R
SPRING	AIR (AIR VOLUME SPACER, IFP SYSTEM) AIR CAN OPTIONS AVAILABLE
AIR VOLUME OPTIONS	LVN: SMALL POSITIVE AIR VOLUME AND LARGE NEGATIVE AIR VOLUME SV: SMALL POSITIVE AIR VOLUME AND SMALL NEGATIVE AIR VOLUME
TRAVEL	INCH: 200X51 mm METRIC: 190x37.5 / 40 / 42.5 / 45 mm, 210x47.5 / 50 / 52.5 / 55 mm, 230x57.5 / 60 / 62.5 / 65 mm, 250x67.5 / 70 / 72.5 / 75 mm TRUNNION: 185x47.5 / 50 / 52.5 / 55 mm, 205x57.5 / 60 / 62.5 / 65 mm, 225x67.5 / 70 / 72.5 / 75 mm



TRIAIR2

ENDURO / TRAIL

TRIAIR2


// 21027

SR SUNTOUR

RIDER DOUGLAS VIEIRA LOCATION FREIBURG, GERMANY PHOTO JORDI MOLLULEDA



FIDO 29





AION36X A STEP ABOVE

Our new AION36X is down for anything and can handle it all. Combining many of the features of our race-level forks, the AION36X is the new choice for trail, all-mountain and e-SUB adventures at a budget-friendly price. With up to 160mm of travel, 36mm stanchions, this reinforced, e-bike ready fork is ready to tame the trails without destroying your wallet. Featuring our EQ Air System, PCS Dampers with rebound and compression adjustment, and integrated fenders, you'll be trail-ready in no time with all the adjustments you need to tailor your ride to your local track. We didn't forget about those who use their bikes for everything as we've included long fender mounts and clearance for 220mm rotors and big tires. And the AION won the 2026 Enduro World Series Overall! The AION36X can really do it all.

MODEL	AION38 X BOOST EQ
INTENDED USE	TRAIL, ALL MOUNTAIN, eSUB
TRAVEL	120, 130, 140, 150, 160 mm
WHEEL SIZE	27.5", 29"
SPRING	AIR EQ
CARTRIDGE	2CR-PCS, RC-PCS
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FEATURES	LONG FENDER MOUNT, DETACHABLE INTEGRATED SHORT FENDER, ABS SENSOR MOUNT OPTION

AION

27.5"

29"

36mm

BOOST

PCS

EQ
EQUALIZER

ABS
MOUNT

E-BIKE
READY

X
eXtra
strong

TRAIL / AM

AION38X

// 21027

SUNTOUR

RIDER MARTINA BERTA LOCATION VALDISOLE, ITALY PHOTO STARON PHOTO



edge^{EVO}





edge^{EVO}

EDGE EVO BUILT FOR CONTROL. DESIGNED FOR DURABILITY

Our most advanced and robust inline shock to date, the EDGE EVO delivers the ultimate balance of control, durability, and lightweight performance. Whether you're hammering down fast XC descents, grinding technical trail climbs, or riding anything in between, the EDGE EVO gives you the confidence and support to push harder and ride longer. Inside, everything has been refined. Smoother internals, increased stiffness, and expanded air volume let you fine-tune your ride feel with precision. Choose between two air can shapes to match your bike's kinematics and terrain preferences. With 2- or 3-position compression settings and a full range of rebound adjustment, the EVO adapts seamlessly to your ride style. We've even made it compatible with modern frame designs, including optional trunnion mounts, the EDGE EVO is available in metric stroke lengths from 37.5 mm to 65 mm. It's also a breeze to set up, use, and maintain, true to our QSP (Quick Service Product) philosophy so you have shock that will last.

MODEL	EDGE EVO
INTENDED USE	XC, TRAIL, ALL MOUNTAIN
FUNCTION	R-2CR, 2CR, R
SPRING	AIR, ADJUSTABLE VOLUME AIR CAN OPTIONS AVAILABLE
AIR VOLUME OPTIONS	LVN: SMALL POSITIVE AIR VOLUME AND LARGE NEGATIVE AIR VOLUME SV: SMALL POSITIVE AIR VOLUME AND SMALL NEGATIVE AIR VOLUME
TRAVEL	INCH: 200X51mm METRIC: 190X37.5 / 40 / 42.5 / 45mm, 210X47.5 / 50 / 52.5 / 55mm, 230X57.5 / 60 / 62.5 / 65mm TRUNNION: 165X37.5 / 40 / 2.5 / 45mm, 185X47.5 / 50 / 52.5 / 55mm, 205X57.5 / 60 / 62.5 / 65mm



XC / TRAIL / AM

EDGE EVO

// 21027

SR SUNTOUR



MOBI = 36





MOBIE36 READY FOR EVERYTHING

Looking for the next eSUB adventure? The MOBIE36 combines all the E-MTB performance you need with smart features such as an integrated trail fender, mounts for urban long fenders, integrated crown lamp mount on a shade-free high position and ABS mounts for added safety and comfort. And you get 36 mm stanchions and boost spacing for accurate and stable steering and control and can accommodate wider tires for all of your urban needs. Featuring our EQ air negative spring makes SAG setting effortless, precise and accommodates a wide range of riders and loaded situations, together with sealed PCS dampers, you'll definitely have the best settings and comfort for any terrain. The MOBIE36 accommodates large disc brakes and comes with optional ABS mounting points for the ultimate in versatility and safety.

MODEL	MOBIE36 BOOST EQ
INTENDED USE	SPORTS UTILITY
TRAVEL	120, 130, 140 mm
WHEEL SIZE	27.5", 29"
SPRING	AIR EQ
CARTRIDGE	2CR PCS
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FEATURES	LONG FENDER MOUNT, CROWN LAMP MOUNT, ABS AND SENSOR MOUNT

MOBIE36

27.5"

29"

36 mm

BOOST

PCS

EQ
EQUALIZER

ABS
MOUNT

E-BIKE
READY



edge



EDGE X THE MODERN TRAIL CHOICE

From high-speed cross-country racing to the challenges of technical trail riding, you demand suspension that delivers top-tier damping performance for both efficiency and comfort. Enter the EDGE, a purpose-built shock designed for lightweight and fast XC performance. With adjustable compression damping and rebound it offers a custom-tuned, controlled ride no matter the terrain. The "X" stands for reinforced performance. While the EDGE line of shocks remains the go-to for short to mid-travel bikes, the new EDGE X is engineered to meet the growing demands of modern full-suspension eMTBs. With a complete design overhaul, it features a redesigned shaft for increased strength and enhanced sliding behavior which translates to excellent small-bump compliance, even under heavy loads. A larger negative air chamber improves top-end suppleness, delivering that plush initial feel while maintaining support deeper into the travel. And while comfort is front and center, efficiency remains king. Gone are the days of the full lockout XC setup. The EDGE X introduces a firm mode switch, which maintains traction and comfort while maximizing pedaling efficiency, exactly what modern trail and eMTB riders demand.

MODEL	EDGE X
INTENDED USE	URBAN / XC / TRAIL
FUNCTION	2CR, RC, R
SPRING	AIR, ADJUSTABLE VOLUME AIR CAN OPTIONS AVAILABLE
AIR VOLUME OPTIONS	LV: LARGE POSITIVE AIR VOLUME AND LARGE NEGATIVE AIR VOLUME SV: SMALL POSITIVE AIR VOLUME AND SMALL NEGATIVE AIR VOLUME
TRAVEL	INCH: 152x31 mm, 165x38 mm, 184x44 mm METRIC: 70x27.5 / 30 / 32.5 / 35 mm, 190x37.5 / 40 / 42.5 / 45 mm, 210x47.5 / 50 / 52.5 / 55 mm TRUNNION: 145x27.5 / 30 / 32.5 / 35 mm, 165x37.5 / 40 / 42.5 / 45 mm, 185x47.5 / 50 / 52.5 / 55 mm



URBAN / XC / TRAIL

EDGE X

// 21K27

SR SUNTOUR



RIDER PAUL SCHEHL LOCATION WC PAL ARINSAL AND PHOTO STARONPHOTO





AXON34 WERX MODERN XC

Whether you're leading an XC race or chasing a new PR, the AXON34 WERX is the fork that always delivers. Proven at the sport's highest levels, including Olympic Gold Medals and multiple World Cup victories, the AXON WERX has earned its place as the premier choice for athletes pushing the limits of cross-country racing. Featuring a one-piece hollow carbon upper and 34 mm stanchions, it offers exceptional torsional stiffness without compromising weight, making it ideal for the most demanding race courses. At the heart of the AXON34 WERX is the Air EQ System, which automatically balances positive and negative air chambers for perfectly tuned support, tailored to each rider's weight and riding style. Combined with the PCS cartridge, the result is buttery smooth small-bump compliance with unwavering midstroke support. With heart rates high, mistakes can be the difference between a podium and a DNF, the AXON34 WERX is in front of you taking the hits so you can keep going.

MODEL	AXON34 WERX
INTENDED USE	CROSS COUNTRY
TRAVEL	100, 110, 120mm
WHEEL SIZE	29"
SPRING	AIR EQ
CARTRIDGE	RLRC-PCS
UPPER	ONE PIECE HOLLOW CARBON
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AHL-110
FENDER	DETACHABLE INTEGRATED SHORT FENDER

AXON



BOOST



CROSS COUNTRY

AXON34 WERX

// 21/27

SUNTOUR





GVX

GVX - UNLOCK YOUR ADVENTURE.

No two gravel rides are alike: asphalt, hardpack, backroads, forest tracks, slippery climbs and sketchy descents can push you well beyond the expected. The SR SUNTOUR GVX is built to stay capable across all kinds of gravel rides, delivering controlled, damped suspension performance when the terrain turns unpredictable. From potholes and washboard to exposed roots and water bars, the GVX gives you the control, confidence and comfort you need when things get rough. Its broad range of configurations and travel options helps you find the right fit for your bike and riding style, while easily serviceable internals help deliver the dependability you need as you rack up the miles. When asphalt turns to dirt and dust, the GVX helps you unlock your adventure.

MODEL	GVX32
INTENDED USE	GRAVEL
TRAVEL	40, 50, 60 mm
WHEEL SIZE	700C
STANCHIONS	A7000 SERIES ALUMINUM (GVX32 S)
SPRING	AIR EQ
CARTRIDGE	LOR PCS, RLR PCS, RLR, LOR
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4
FEATURES	DETACHABLE INTEGRATED SHORT FENDER, LONG FENDER MOUNT




GRAVEL

GVX32

// 21x27

SR SUNTOUR



RIDER ALBAN AUBERT LOCATION ST GOTTHARD PASS, SWISS PHOTO REMY VROONEN



NRX

NRX32 IL SPORTY ELEGANCE

The NRX model has been a big name in the SR SUNTOUR lineup for years and has been continually refined to keep up with the newest trends in the bike industry. The stylish elegance of the NRX IL continues this legacy with a new profile that speaks of speed, simplicity and fun. The sleek and edgy design of the NRX IL has a new inline structure and our EQ Air system to provide concise control and performance in a sporty package. With features you've come to expect like long fender mounts and a lamp mount crown you can create bikes that have the ultimate in customizability. The versatility of the NRX IL is perfect for many applications including lightweight performance ebikes, sporty commuters, bike packing and exploration. Whether riding to work or going off the beaten path, the NRX IL will keep you grounded.

MODEL	NRX32 IL
INTENDED USE	E-TREKKING, E-CITY
TRAVEL	40, 50, 60, 70mm
WHEEL SIZE	29"
SPRING	AIR EQ, AIR
CARTRIDGE	2CR, LO
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-100
FENDER	LONG FENDER MOUNT



E-BIKE
READY

E-TREKKING

NRX32-IL

// 21027

SUNTOUR



NCX32

27.5" 29" 32mm E-BIKE READY

E-TREKKING

NCX32 SP

// 21027

SR SUNTOUR



NCX32

NCX32 SP OWN THE CITY

The NCX32 line has been given a complete overhaul adding some new members to the family. Our popular comfort and trekking fork line, the NCX32 SP series is redesigned from the ground up with a fresh, sport-inspired design. Besides a great new look, we made the daily ride smoother and safer. We started off by using the safest axle designs for the best in security and usability. Choose the standard 15 mm thru-axle or our new 5TA axle platform 5TA combines the simplicity and ease of use of a standard QR hub with the increased safety of a thru-axle, using a traditional 5 mm axle available as a tooled or a tool-free solution. With features like an adjustable air spring, sealed cartridge with lockout, lamp and fender mounts and being eBike ready the NCX32 SP is the perfect companion for your daily commuting, trekking and urban applications.

MODEL	NCX32 SP
INTENDED USE	E-TREKKING, E-CITY
TRAVEL	63, 80, 100mm
WHEEL SIZE	29", 27.5"
SPRING	AIR
CARTRIDGE	2CR, LO
BOTTOM CASE	MAGNESIUM
AXLE TYPE	5TA (9-100), 15AH4-100
FEATURES	LONG FENDER MOUNT

E-TREKKING

NCX32 SP

// 21027

SR SUNTOUR



SEMI-MOBILE





MOBI35 CGO THE NEWEST KID ON THE BLOCK

MOBIE stands for mobility without any compromises. The new MOBI35 CGO is the newest urban mobility solution for the longtail bike market. The MOBI35 CGO is a 27.5" cargo fork built on a chassis of 35mm steel stanchions with features including a lamp mount crown, ABS mounts and long fender mounts for all of your mobility solutions. Built for everyday cargo usage, this fork will handle up to 200 kgs of system weight. The MOBI35-CGO is adaptable to accept even wider tires on 26" wheels as well. With an adjustable air spring and 2-position compression adjustment it is adaptable to whatever loads you may be carrying.

MODEL	MOBI35 CGO
INTENDED USE	CARGO (LONG TAIL)
TRAVEL	60, 80, 100mm
WHEEL SIZE	27.5"
SPRING	AIR
CARTRIDGE	2CR, R
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FENDER	LONG AND SHORT FENDER MOUNT, ABS AND SENSOR MOUNT

MOBI35 CGO



BOOST




E-BIKE
READY

CARGO LONG TAIL

MOBI35 CGO

// 21K27

SR SUNTOUR



RIDER TOBI WOGGON LOCATION BAMBERG, GERMANY PHOTO REMY VROONEN



NOBI 34



MOBIE34 CGO BUILT FOR THE DEMANDS OF MODERN CARGO BIKES

As the cargo bike market continues to evolve, so do the demands placed on suspension systems. With changing regulations, shifting rider needs, and increasing cargo loads, we've engineered the MOBIE34 CGO Air to rise to the challenge. Featuring a robust chassis and an adjustable air spring, this fork delivers the strength, adaptability, and comfort required for today's premium cargo bike experience. But we didn't stop there. The MOBIE34 CGO series includes a front-facing long fender mount, allowing for the installation of extended fenders that offer superior protection from road spray and debris, keeping both rider and cargo clean and dry. Available in both 20" and 24" wheel sizes and with multiple crown configurations, the MOBIE34 CGO Air is the high-performance solution for modern cargo bikes.

MODEL	MOBIE34 CGO
INTENDED USE	E-CARGO
TRAVEL	80, 100mm
WHEEL SIZE	20", 24"
SPRING	AIR
CARTRIDGE	LO
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FENDER	LONG FENDER MOUNT

MOBIE34



E-CARGO

MOBIE34 CGO

// 21K27

SR SUNTOUR



RAIDON 34





RAIDON34

RAIDON34 TRAIL & WALLET TAMING FUN

The Raidon fork has been the bread and butter of our mountain bike lineup for over a decade and the Raidon34 is just the next step in the evolution. Designed for modern XC and trail riding the Raidon34 is stiff, strong and smooth. Featuring our Air EQ system, two stage compression lockout and rebound adjustment, having the right set up for your trails is a breeze. Magnesium lowers and a PCS backed sealed cartridge just adds to the durability and control out on the trail. With the included trail fender and other mounts for longer mud guards you're not only getting a high-performance modern fork, you're also getting a fantastic value.

MODEL	RAIDON34
INTENDED USE	TRAIL, XC
TRAVEL	100, 120, 130, 140mm
WHEEL SIZE	27.5", 29"
SPRING	AIR
CARTRIDGE	2CR, R-2CR
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FENDER	LONG FENDER MOUNT

27.5"

29"

34mm

BOOST

EQ
EQUALIZER

TRAIL / XC

RAIDON34

// 21K27

SHIMANO



RAIDON34

RAIDON34 BIG WHEELS = BIG FUN

Raidon34 32" Is Bigger, Better? We will let you decide. But you don't have to spend a small fortune to find out as our new Raidon34 32" is the class leader in value. We've taken our tried and true Raidon34 chassis into the future with our new 32" wheeled version. Feature packed with a magnesium casting, EQ air system, PCS Sealed cartridge, compression lockout and Rebound Adjustment you'll have everything you need to roll on mountain biking's newest wheel size. Big wheels keep on turning.

MODEL	RAIDON34 BOOST EQ
INTENDED USE	TRAIL, XC
TRAVEL	100, 120mm
WHEEL SIZE	32"
SPRING	AIR EQ
CARTRIDGE	2CR
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-110
FENDER	DETACHABLE INTEGRATED SHORT FENDER AND LONG FENDER MOUNT

32"

34mm

BOOST

EQ
EQUALIZER

TRAIL / XC

RAIDON34

// 21027

SHIMANO



RAIDON

RAIDON32 KIDS LIKE ADVENTURES TOO!

The Raidon line of forks has offered the perfect balance of performance and value ever since we introduced it. The Raidon JR is no exception. Available in 20", 24" and 26" wheel sizes the Raidon JR will elevate the level of any bike and rider. Kids like to shred too and with magnesium castings, sealed cartridge, compression lockout and rebound adjustment they'll have everything they need to tame the trail. With our Air EQ system the fork is a couple pumps away from being perfectly set up and with 3 different sizes the RadionJR line can grow with you. All this adds up to a safe, smooth and versatile package so your little shredder can get the most out of their trail time!

MODEL	RAIDON32 JR EQ
INTENDED USE	TRAIL, XC
TRAVEL	80, 100, 120, 140mm
WHEEL SIZE	26", 24", 20"
SPRING	AIR EQ
CARTRIDGE	2CR, R
BOTTOM CASE	MAGNESIUM
AXLE TYPE	15AH4-100
FENDER	DETACHABLE INTEGRATED SHORT FENDER AND LONG FENDER MOUNT

20"

24"

26"

32mm

EQ
EQUALIZER

TRAIL / XC

RAIDON32

// 21027

SHIMANO





NCX

NCX SEATPOST RIDE SMOOTH

Life is hard, your bike doesn't have to be. Don't be stuck in an uncomfortable situation, the NCX seatpost can add 50 mm of suspension to any bike. Available in most common seatpost diameters and with three different spring rates, easy preload adjustment and stainless steel bushings making your bike more comfortable is just a couple turns of the wrench away. We've even increased the width of the pivot and lowered the frame body for increased stiffness and to accommodate more riders. With the NCX seatpost, you can confidently ride longer on more surfaces and worry less about potholes, ruts and anything else that might be in your way.

MODEL	NCX SEATPOST
INTENDED USE	URBAN / UTILITY
TRAVEL	350mm, 400mm
DIAMETER	Ø27.2 / Ø30.9 / Ø31.6
SPRING	COIL W/PRELOAD ADJUSTER
FEATURES	STAINLESS STEEL BUSHING, HARD / SOFT SPARE SPRINGS, OPTIONAL SAFETY COVER

URBAN / UTILITY

NCX SEATPOST

// 21027

SR SUNTOUR

SR SUNTOUR CORPORATE

CHINA (SHEN ZHEN)

SR SUNTOUR SHEN ZHEN CO. LTD

Suibe Industrial Zone, Suibe Rd.,
Gongming Town,
Guangming District,
Shen Zhen, China
Tel. +86-755-27105433
Fax. +86-755-27105633

CHINA (KUN SHAN)

SR SUNTOUR KUN SHAN CO. LTD

1500 Honghu Rd., Peng Lang,
Kun Shan Development Zone,
Jiang Su Province, China
Tel. +86-512-5518-8088
Fax. +86-512-5517-1117

VIETNAM

SR SUNTOUR VIETNAM CO. LTD

Lot 17-8, Street 3B,
Protrade International Tech Park,
An Tay ward, Ben Cat City,
Binh Duong Province, Vietnam.
Tel. +84-(0)274-3721-883
Tax Code: 3702401047

JAPAN

SR SUNTOUR JAPAN

NR Bldg. 4F, 3-13-13
Kuramae, Taito-ku,
Tokyo 111-0051, Japan
Tel. +81-(0)3-5829-9211
Fax. +81-(0)3-5829-9241

GERMANY (EU)

SR SUNTOUR EUROPE GMBH

Riedstrasse 31
83627 Warngau
Germany
Tel. +49-8021-50793-0
Fax. +49-8021-50793-29
service@srsuntour-cycling.com

GERMANY (EU)

SR SUNTOUR DÜSSELDORF GMBH

Fichtenstr. 115
40233 Düsseldorf
Germany
Tel. +49-2115-42689-50
Fax. +49-2115-42347-76

USA

SR SUNTOUR NORTH AMERICA

14511 NE 10th Avenue
Vancouver WA 98685
United States
Tel. 360-737-6450
service@srsuntourna.com

USA

SR SUNTOUR SERVICE CENTER

910 Watson Avenue
Madison WI 53713
United States
Tel. 608-229-6610
service@usulcorp.com

FRANCE (EU)

SR SUNTOUR FRANCE SAS

Alpespace
604 Voie Galilée,
73800 Sainte-Hélène-Du-Lac, France
Tel. +33-4-85-86-00-99
Fax. +33-4-79-28-69-71
sav@srsuntour-cycling.com

BELGIUM (EU)

SR SUNTOUR EUROPE S.A.

Bld. Henri Rolin 5Bis
1410 Waterloo Belgium
Tel. +32-23544676
Fax. +32-23547835
Sales.sab@srsuntourcycling.com

WWW.SRSUNTOUR.COM

Copyright © 2026 SR SUNTOUR inc. All rights reserved. Specifications are
subject to change for improvement without notice.
Version 1.0 / 08-2026