

DAMPING ADJUSTMENT



NAME	FUNCTION	NAME	FUNCTION
R2CR-PCS	High & low speed compression and high & low speed rebound damping adjusts with blow-off feature along with PCS system.	RC2	High & box speed compression and box speed rebound damping adjusts with blow-off feature.
RC2-PCS	High & low speed compression and low speed rebound damping adjusts with blow-off feature along with PCS system.	RC	Low speed compression and low speed rebound damping adjusts with blow-off feature.
RC-PCS	Low speed compression and low speed rebound damping adjusts with blow-off feature along with PCS system.	3CR	3 position of compression(firm setting, medium setting and open setting) with low speed rebound asdjust.
R-3CR-PCS	Remote Lockout with 3 positions of compression (firm setting, medium setting and open setting) with low speed rebound adjust along with PCS system.	2CR	2 positions of compression (firm setting and open setting) with low speed rebound adjust
R-2CR-PCS	Remote Lockout with 2 positions of compression (firm setting and open setting) with low speed rebound adjust along with PCS system.	RLRC	Hydraulic Remote Lockout with adjustable rebound and compression damping with blow-off feature.
3CR-PCS	3 positions of compression (firm setting, medium setting and open setting) with low speed rebound adjust along with PCS system.	LORC	Hydraulic Lockout with adjustable rebound and compression damping with blow-off feature.
2CR-PCS	2 positions of compression (firm setting and open setting) with low speed rebound adjust along with PCS system.	RLR	Hydraulic Remote Lockout with adjustable rebound damping with blow-off feature.
RLRC-PCS	Hydraulic Remote Lockout with low speed compression and low speed rebound damping adjusts with blow-off feature along with PCS system.	LOR	Hydraulic Lockout with adjustable rebound damping with blow-off feature.
RLR-PCS	Hydraulic Remote Lockout with rebound damping adjusts with blow-off feature along with PCS system.	RL	Hydraulic Remote Lockout with fixed rebound damping with blow-off feature.
LORC-PCS	Hydraulic Lockout with low speed compression and low speed rebound damping adjusts with blow-off feature along with PCS system.	LO	Hydraulic Lockout with fixed rebound damping with blow-off feature.
LOR-PCS	Hydraulic Lockout with adjustable rebound damping with blow-off feature along with PCS system.	NLO	Hydraulic Lockout with fixed rebound damping.
		HLO	Hydraulic Lockout without rebound damping.

^{1 \$}F22-M08IE38-8005T-ED-2CR-PCS-72/5729', \$F22-RAD0N34-8005T-2CR-27/5729', \$F23-XCR34-8005T-CDIL-2CR-27/5729', \$F23-XCR34-8005T-AIR-2CR-27/5729', \$F23-XCR34-8005T-AIR-2CR-27/57/5729', \$F23-XCR34-8005T-AIR-2CR-27/5729', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005T-AIR-2CR-27/579', \$F23-XCR34-8005



APPLICATION TABLE	R2C2	RC2	3CR	2CR	RC	R-3CR	R-2CR	RLRC	LORC	RLR	LOR	RL	LO	HLO	NLO
RUX	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-
DUROLUX	•	<u> </u>			•			_						_	
AION	-		•	•	•	-	-	_		-		_		-	
ZERON	-	-	•	•	•	-	-	-	-	•	•	-	-	-	-
AXON	-							••	••			-			
RAIDON	-	-	-	•	-	-	•	-	-	•	•	-	-	-	-
XCR	-	-	-	•	-	-	•	-	-	•	•	•	•	-	_
X1	-	-	-	-	-	-	-	-	-	•	•	•	•	-	-
хсм	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•
хст	-	-	-	-	-	-	-	-	-	-	-	-	-	•	•
MOBIE36	-	-	•	•	-	-	-	-	•	-	-	-	-	-	-
MOBIE35	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-
MOBIE34	-	-	-	••	-	-	••	-	-	-	-	-	-	-	-
MOBIE34 CGO	-	-	-	-	-	-	-	-	-	-	-	-	•	-	-
MOBIE25	-	-	-	-	-	-	-	-	-	•	•	-	-	-	-
MOBIEA32	-	-	-	-	-	-	-	-	-	-	-	•	•	-	•
GVX	-	-	-	-	-	-	-	-	-	••	••	-	-	-	-
NRX	-	-	-	-	-	-	-	-	-	•	•	-	-	-	-
NCX32/NCX	-	-	-	-	-	-	-	-	-	-	-	•	•	-	-
NX1/TR-HSI	-	-	-	-	-	-	-	_	-	-	_	•	•	•	-
NVX	-	-	-	-	_	-	-	-	-	-	-	•	_	-	•
NEX	-	-	-	-	-	-	-	-	-	-	-	•	-	•	•
CR85	-	-	-	-	-			-	-	-	-	-	•	-	-
PCS CARTRINGE															

PCS CARTRIDGE

12 I 1 13